

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
25	HOT	CB36	FOH2				Soniq TV	Conductor Cam Feed for Performers				
26	1	16	FOH2	54	1	16	Selecon Pacific 23-50°	CTB wash	L202		Gel frame	1000
27	1	11	FOH2	44	1	11	Selecon Pacific 23-50°	Open white wash			Gel frame	1000
28	Distro A	8	FOH2	204	2	220-259	Fine Art 420L Performance					550
29			FOH2									
30	1	18	FOH2	53	1	18	Selecon Pacific 23-50°	CTB wash	L202		Gel frame	1000
31	4	63	FOH2	43	1	63	Selecon Pacific 23-50°	Open white wash			Gel frame	1000
32	Distro A	8	FOH2	203	2	180-219	Fine Art 420L Performance					550
33			FOH2									
34			FOH2									
35	Distro A	7	FOH2	202	2	140-179	Fine Art 420L Performance					550
36	4	64	FOH2	42	1	64	Selecon Pacific 23-50°	Open white wash			Gel frame	1000
37	2	30	FOH2	52	1	30	Selecon Pacific 23-50°	CTB wash	L202		Gel frame	1000
38			FOH2									
39	Distro A	7	FOH2	201	2	100-139	Fine Art 420L Performance					550
40	1	17	FOH2	41	1	17	Selecon Pacific 23-50°	Open white wash			Gel frame	1000
41	1	12	FOH2	51	1	12	Selecon Pacific 23-50°	CTB wash	L202		Gel frame	1000
42	HOT	CB36	FOH2				Soniq TV	Conductor Cam Feed for Performers				
43	4	67	Orchestra Bar	73	1	67	Molefay Duet	Audience blinder				1300
44			Orchestra Bar									
45	4	68	Orchestra Bar	72	1	68	Molefay Duet	Audience blinder				1300
46			Orchestra Bar									
47	4	69	Orchestra Bar	71	1	69	Molefay Duet	Audience blinder				1300
48			Orchestra Bar									

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
49	HOT	CB34	LX1	152	3	160-164	ShowPro LED Par Quad-18	High side				150
50			LX1									
51			LX1									
52			LX1									
53	HOT	CB32	LX1	105	3	25-30	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB32		104	3	19-24	RGBWA Led Par 40°	Top stage wash				350
54	Distro A	1	LX1	304	3	124-154	Fine Art 420L Spot					550
55			LX1									
56	Distro A	1	LX1	303	3	93-123	Fine Art 420L Spot					550
57			LX1									
58	HOT	CB32	LX1	103	3	13-18	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB32		102	3	7-12	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB32		101	3	1-6	RGBWA Led Par 40°	Top stage wash				350
59	Distro A	2	LX1	302	3	62-92	Fine Art 420L Spot					550
60			LX1									
61	Distro A	2	LX1	301	3	31-61	Fine Art 420L Spot					550
62			LX1									
63			LX1									
64			LX1									
65			LX1									
66	HOT	CB34	LX1	151	3	155-159	ShowPro LED Par Quad-18	High side				150

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
67	HOT	CB38	LX2	154	4	160-164	ShowPro LED Par Quad-18	High side				150
68			LX2									
69			LX2									
70			LX2									
71	HOT	CB32	LX2	110	4	25-30	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB32		109	4	19-24	RGBWA Led Par 40°	Top stage wash				350
72	Distro A	3	LX2	308	4	124-154	Fine Art 420L Spot					550
73			LX2									
74			LX2									
75	Distro A	3	LX2	307	4	93-123	Fine Art 420L Spot					550
76	HOT	CB32	LX2	108	4	13-18	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB32		107	4	7-12	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB32		106	4	1-6	RGBWA Led Par 40°	Top stage wash				350
77	Distro A	4	LX2	306	4	62-92	Fine Art 420L Spot					550
78			LX2									
79	Distro A	4	LX2	305	4	31-61	Fine Art 420L Spot					550
80			LX2									
81			LX2									
82			LX2									
83			LX2									
84	HOT	CB38	LX2	153	4	155-159	ShowPro LED Par Quad-18	High side				150

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
85	HOT	CB38	LX3	156	5	160-164	ShowPro LED Par Quad-18	High side				150
86			LX3									
87			LX3									
88	HOT	CB34	LX3	115	5	25-30	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB34		114	5	19-24	RGBWA Led Par 40°	Top stage wash				350
89	Distro A	9	LX3	358	5	284-300	ACME Oxygen CM-400Z					380
90	Distro A	5	LX3	312	5	124-154	Fine Art 420L Spot					550
91	Distro A	10	LX3	357	5	267-283	ACME Oxygen CM-400Z					380
	Distro A	10		356	5	250-266	ACME Oxygen CM-400Z					380
92	Distro A	5	LX3	311	5	93-123	Fine Art 420L Spot					550
93	HOT	CB34	LX2	113	5	13-18	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB34		112	5	7-12	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB34		111	5	1-6	RGBWA Led Par 40°	Top stage wash				350
94	Distro A	11	LX3	355	5	233-249	ACME Oxygen CM-400Z					380
	Distro A	11		354	5	216-232	ACME Oxygen CM-400Z					380
95	Distro A	6	LX3	310	5	62-92	Fine Art 420L Spot					550
96	Distro A	12	LX3	353	5	199-215	ACME Oxygen CM-400Z					380
	Distro A	12		352	5	182-198	ACME Oxygen CM-400Z					380
97	Distro A	6	LX3	309	5	31-61	Fine Art 420L Spot					550
98	Distro A	9	LX3	351	5	165-181	ACME Oxygen CM-400Z					380
99			LX3									
100			LX3									
101			LX3									
102	HOT	CB38	LX3	155	5	155-159	ShowPro LED Par Quad-18	High side				150

2023
STANDARD LIGHTING PATCH

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
103			LX4									
104			LX4									
105			LX4									
106			LX4									
107	5	85	LX4	68	1	85	Par64 MFL	Backlight/FX				1000
108	5	88	LX4	67	1	88	Par64 MFL	Backlight/FX				1000
109	HOT	CB34	LX4	120	6	25-31	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB34		119	6	19-24	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB34		118	6	13-18	RGBWA Led Par 40°	Top stage wash				350
110	2	26	LX4	66	1	26	Par64 MFL	Backlight/FX				1000
111	2	27	LX4	65	1	27	Par64 MFL	Backlight/FX				1000
112	2	28	LX4	64	1	28	Par64 MFL	Backlight/FX				1000
113	2	29	LX4	63	1	29	Par64 MFL	Backlight/FX				1000
114	HOT	CB34	LX4	117	6	7-12	RGBWA Led Par 40°	Top stage wash				350
	HOT	CB34		116	6	1-6	RGBWA Led Par 40°	Top stage wash				350
115	5	86	LX4	62	1	86	Par64 MFL	Backlight/FX				1000
116			LX4									
117	5	87	LX4	61	1	87	Par64 MFL	Backlight/FX				1000
118			LX4									
119			LX4									
120			LX4									
121			LX5									
122			LX5									
123			LX5									
124	HOT	CB42	LX5	409	6	104-109	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		410	6	110-115	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		411	6	116-121	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		412	6	122-127	RGBWA Led Cyc	Cyc wash				350
125			LX5									
126			LX5									
127	HOT	CB42	LX5	405	6	80-85	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		406	6	86-91	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		407	6	92-97	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		408	6	98-103	RGBWA Led Cyc	Cyc wash				350
128	HOT	CB42	LX5	401	6	56-61	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		402	6	62-67	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		403	6	68-73	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		404	6	74-79	RGBWA Led Cyc	Cyc wash				350

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE	
145	2	35	PS FOH Perch	24	1	35	ETC Source Four 26°	CTO Facelight	L205		Top hat	750	
146	2	36	PS FOH Perch	22	1	36	ETC Source Four 26°	CTB Facelight	L202		Top hat	750	
147	2	31	PS FOH Perch	42	1	31	ETC Source Four 26°	Open White Facelight			Top hat	750	
148	2	32	PS FOH Perch	91	1	32	ETC Source Four 36°	Curtain Warmer	L106		Top hat	750	
149	3	42	OP FOH Perch	23	1	42	ETC Source Four 26°	CTO Facelight	L205		Top hat	750	
150	3	41	OP FOH Perch	21	1	41	ETC Source Four 26°	CTB Facelight	L202		Top hat	750	
151	4	73	OP FOH Perch	41	1	73	ETC Source Four 26°	Open White Facelight			Top hat	750	
152	4	74	OP FOH Perch	91	1	74	ETC Source Four 36°	Curtain Warmer	L106		Top hat	750	
181			OP Gantry										
182			OP Gantry										
183			OP Gantry										
184			OP Gantry										
185	HOT	CB34	OP Gantry	701-708	6	32-55	RGB Star Cloth					300	
186	HOT	CB34	OP Gantry	Universe 6 Splitter			DMX Splitter	LX4, Star Cloth, Cyc, Haze					50
187	HOT	CB40	OP Gantry	801	11	1-12	Panasonic PT-RZ970					1050	
188	HOT	CB38	OP Gantry	Universe 5 Splitter			DMX Splitter	LX3, 3x spare outputs					50
189			OP Gantry										
190			OP Gantry										
191	HOT		OP Gantry	521	6	510-512	MDG ATMe Haze				Fan	715	
192			OP Gantry										

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
193	3	44	PS Floor Trap	4	1	44	Selecon Acclaim Axial 24-44°				Gel frame	600
	3	44					Selecon Acclaim Axial 24-44°				Gel frame	600
194			PS Floor Trap									
195	HOT	SO5	PS Floor Trap	14	1	264-267	RGBW Par64				Barn doors	120
196	3	45	PS Floor Trap	6	1	45	Selecon Acclaim Axial 24-44°				Gel frame	600
	3	45					Selecon Acclaim Axial 24-44°				Gel frame	600
197	HOT	CB36	PS Floor Trap	502	1	293	Jem ZR25 Smoke Machine					1320
198	HOT	SO5	PS Floor Trap	16	1	272-275	RGBW Par64				Barn doors	120
199	5	92	PS Floor Trap	8	1	92	Selecon Acclaim Axial 24-44°				Gel frame	600
	5	92					Selecon Acclaim Axial 24-44°				Gel frame	600
200			PS Floor Trap									
201	HOT	SO5	PS Floor Trap	18	1	280-283	RGBW Par64				Barn doors	120
202	5	93	PS Floor Trap	10	1	93	Selecon Acclaim Axial 24-44°				Gel frame	600
	5	93					Selecon Acclaim Axial 24-44°				Gel frame	600
203			PS Floor Trap									
204	HOT	SO5	PS Floor Trap	20	1	288-291	RGBW Par64				Barn doors	120
205	3	46	OP Floor Trap	3	1	46	Selecon Acclaim Axial 24-44°				Gel frame	600
	3	46					Selecon Acclaim Axial 24-44°				Gel frame	600
206			OP Floor Trap									
207	HOT	SO6	OP Floor Trap	13	1	260-263	RGBW Par64				Barn doors	120
208	3	47	OP Floor Trap	5	1	47	Selecon Acclaim Axial 24-44°				Gel frame	600
	3	47					Selecon Acclaim Axial 24-44°				Gel frame	600
209	HOT	CB36	OP Floor Trap	501	1	292	Jem ZR25 Smoke Machine					1320
210	HOT	SO6	OP Floor Trap	15	1	268-271	RGBW Par64				Barn doors	120
211	5	94	OP Floor Trap	7	1	94	Selecon Acclaim Axial 24-44°				Gel frame	600
	5	94					Selecon Acclaim Axial 24-44°				Gel frame	600
212			OP Floor Trap									
213	HOT	SO6	OP Floor Trap	17	1	276-279	RGBW Par64				Barn doors	120
214	5	95	OP Floor Trap	9	1	95	Selecon Acclaim Axial 24-44°				Gel frame	600
	5	95					Selecon Acclaim Axial 24-44°				Gel frame	600
215			OP Floor Trap									
216	HOT	SO6	OP Floor Trap	19	1	284-287	RGBW Par64				Barn doors	120

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
217			US Floor Trap									
218			US Floor Trap									
219			US Floor Trap									
220			US Floor Trap									
221			US Floor Trap									
222			US Floor Trap									
223			US Floor Trap									
224			US Floor Trap									
PRPS1	3	48	PS Pro Boom	38	1	48	Selecon Acclaim Axial 18-34°	Apron side				600
PRPS2	3	50	PS Pro Boom	36	1	50	Selecon Acclaim Axial 18-34°	Downstage open white facelight	R132			600
PRPS3	3	51	PS Pro Boom	34	1	51	Selecon Acclaim Axial 18-34°	Downstage CTO facelight	R132	L205		600
PRPS4	3	52	PS Pro Boom	32	1	52	Selecon Acclaim Axial 18-34°	Downstage CTB facelight	R132	L202		600
PRPS5			PS Pro Boom									
PRPS6			PS Pro Boom									
PROP1	3	49	OP Pro Boom	37	1	49	Selecon Acclaim Axial 18-34°	Apron side				600
PROP2	3	53	OP Pro Boom	35	1	53	Selecon Acclaim Axial 18-34°	Downstage open white facelight	R132			600
PROP3	3	54	OP Pro Boom	33	1	54	Selecon Acclaim Axial 18-34°	Downstage CTO facelight	R132	L205		600
PROP4	3	55	OP Pro Boom	31	1	55	Selecon Acclaim Axial 18-34°	Downstage CTB facelight	R132	L202		600
PROP5			OP Pro Boom									
PROP6			OP Pro Boom									

**2023
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHANNEL	UNIV.	ADD.	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
PSA1	5	84	PS Apron	84	1	84	Birdie	Footlight				50
	5	84					Birdie	Footlight				50
PSA2			PS Apron									
PSA3			PS Apron									
PSA4	5	83	PS Apron	83	1	83	Birdie	Footlight				50
	5	83					Birdie	Footlight				50
PSA5			PS Apron									
PSA6			PS Apron									
OPA1	5	81	OP Apron	81	1	81	Birdie	Footlight				50
	5	81					Birdie	Footlight				50
OPA2			OP Apron									
OPA3			OP Apron									
OPA4	5	82	OP Apron	82	1	82	Birdie	Footlight				50
	5	82					Birdie	Footlight				50
OPA5			OP Apron									
OPA6			OP Apron									