

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
25	HOT	CB40	FOH2					Soniq TV	Conductor cam feed for performers				75
26	Distro A	10	FOH2	208	2	281	16-bit (40 ch.)	Fine Art 600L BSWF					800
27	1	17	FOH2	45	1	17		Selecon Pacific 23-50°	Warm front wash	R132			1000
28	Distro A	10	FOH2	207	2	241	16-bit (40 ch.)	Fine Art 600L BSWF					800
29	1	16	FOH2	44	1	16		Selecon Pacific 23-50°	Warm front wash	R132			1000
30	Distro A	9	FOH2	206	2	201	16-bit (40 ch.)	Fine Art 600L BSWF					800
31			FOH2										
32	Distro A	9	FOH2	205	2	161	16-bit (40 ch.)	Fine Art 600L BSWF					800
33			FOH2										
34	1	15	FOH2	43	1	15		Selecon Pacific 23-50°	Warm front wash	R132			1000
35	Distro A	8	FOH2	204	2	121	16-bit (40 ch.)	Fine Art 600L BSWF					800
36			FOH2										
37	Distro A	8	FOH2	203	2	81	16-bit (40 ch.)	Fine Art 600L BSWF					800
38	1	13	FOH2	42	1	13		Selecon Pacific 23-50°	Warm front wash	R132			1000
39	Distro A	7	FOH2	202	2	41	16-bit (40 ch.)	Fine Art 600L BSWF					800
40	1	12	FOH2	41	1	12		Selecon Pacific 23-50°	Warm front wash	R132			1000
41	Distro A	7	FOH2	201	2	1	16-bit (40 ch.)	Fine Art 600L BSWF					800
42	HOT	CB40	FOH2					Soniq TV	Conductor cam feed for performers				75
43	2	29	Orchestra Bar	73	1			Molefay Duet	Audience blinder				1300
44			Orchestra Bar										
45	2	28	Orchestra Bar	72	1			Molefay Duet	Audience blinder				1300
46			Orchestra Bar										
47	2	27	Orchestra Bar	71	1			Molefay Duet	Audience blinder				1300
48			Orchestra Bar										

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
49			LX1										
50			LX1										
51			LX1										
52	HOT	CB32	LX1	105	3	25	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB32		104	3	19	6 ch.	RGBWA LED Par	Top wash				350
53	HOT	CB36	LX1	304	3	218	M2 (21 ch.)	Robe Robin 300 LEDWash					225
54	Distro A	2	LX1	404	3	124	Extension (31 ch.)	Fine Art 420L Spot					550
55	HOT	CB36	LX1	303	3	197	M2 (21 ch.)	Robe Robin 300 LEDWash					225
56	Distro A	2	LX1	403	3	93	Extension (31 ch.)	Fine Art 420L Spot					550
57	HOT	CB32	LX1	103	3	13	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB32		102	3	7	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB32		101	3	1	6 ch.	RGBWA LED Par	Top wash				350
58	Distro A	1	LX1	402	3	62	Extension (31 ch.)	Fine Art 420L Spot					550
59			LX1										
60	HOT	CB36	LX1	302	3	176	M2 (21 ch.)	Robe Robin 300 LEDWash					225
61	Distro A	1	LX1	401	3	31	Extension (31 ch.)	Fine Art 420L Spot					550
62	HOT	CB36	LX1	301	3	155	M2 (21 ch.)	Robe Robin 300 LEDWash					225
63			LX1										
64			LX1										
65			LX1										
66			LX1										

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
67			LX2										
68			LX2										
69			LX2										
70			LX2										
71	HOT	CB32	LX2	110	4	25	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB32		109	4	19	6 ch.	RGBWA LED Par	Top wash				350
72	HOT	CB36	LX2	308	4	218	M2 (21 ch.)	Robe Robin 300 LEDWash					225
73	Distro A	4	LX2	408	4	124	Extension (31 ch.)	Fine Art 420L Spot					550
74	HOT	CB36	LX2	307	4	197	M2 (21 ch.)	Robe Robin 300 LEDWash					225
75	Distro A	4	LX2	407	4	93	Extension (31 ch.)	Fine Art 420L Spot					550
76	HOT	CB32	LX2	108	4	13	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB32		107	4	7	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB32		106	4	1	6 ch.	RGBWA LED Par	Top wash				350
77	Distro A	3	LX2	406	4	62	Extension (31 ch.)	Fine Art 420L Spot					550
78	HOT	CB36	LX2	306	4	176	M2 (21 ch.)	Robe Robin 300 LEDWash	Top wash				225
79	Distro A	3	LX2	405	4	31	Extension (31 ch.)	Fine Art 420L Spot					550
80	HOT	CB36	LX2	305	4	155	M2 (21 ch.)	Robe Robin 300 LEDWash	Top wash				225
81			LX2										
82			LX2										
83			LX2										
84			LX2										

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
85			LX3										
86			LX3										
87			LX3										
88	HOT	CB34	LX3	115	5	25	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB34		114	5	19	6 ch.	RGBWA LED Par	Top wash				350
89	HOT	CB36	LX3	312	5	218	M2 (21 ch.)	Robe Robin 300 LEDWash					225
90	Distro A	6	LX3	412	5	124	Extension (31 ch.)	Fine Art 420L Spot					550
91	HOT	CB36	LX3	311	5	197	M2 (21 ch.)	Robe Robin 300 LEDWash					225
92	Distro A	6	LX3	411	5	93	Extension (31 ch.)	Fine Art 420L Spot					550
93	HOT	CB34	LX3	113	5	13	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB34		112	5	7	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB34		111	5	1	6 ch.	RGBWA LED Par	Top wash				350
94	Distro A	5	LX3	410	5	62	Extension (31 ch.)	Fine Art 420L Spot					550
95			LX3										
96	HOT	CB36	LX3	310	5	176	M2 (21 ch.)	Robe Robin 300 LEDWash					225
97	Distro A	5	LX3	409	5	31	Extension (31 ch.)	Fine Art 420L Spot					550
98	HOT	CB36	LX3	309	5	155	M2 (21 ch.)	Robe Robin 300 LEDWash					225
99			LX3										
100			LX3										
101			LX3										
102			LX3										

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
103			LX4										
104			LX4										
105			LX4										
106			LX4										
107			LX4										
108			LX4										
109	HOT	CB34	LX4	120	6	25	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB34		119	6	19	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB34		118	6	13	6 ch.	RGBWA LED Par	Top wash				350
110	Distro B	4	LX4	358	6	150	M1 (17 ch.)	ACME Oxygen CM-400Z					380
	Distro B	4		357	6	133	M1 (17 ch.)	ACME Oxygen CM-400Z					380
111	Distro B	3	LX4	356	6	116	M1 (17 ch.)	ACME Oxygen CM-400Z					380
	Distro B	3		355	6	99	M1 (17 ch.)	ACME Oxygen CM-400Z					380
112			LX4										
113	Distro B	2	LX4	354	6	82	M1 (17 ch.)	ACME Oxygen CM-400Z					380
	Distro B	2		353	6	65	M1 (17 ch.)	ACME Oxygen CM-400Z					380
114	HOT	CB34	LX4	117	6	7	6 ch.	RGBWA LED Par	Top wash				350
	HOT	CB34		116	6	1	6 ch.	RGBWA LED Par	Top wash				350
115	Distro B	1	LX4	352	6	48	M1 (17 ch.)	ACME Oxygen CM-400Z					380
	Distro B	1		351	6	31	M1 (17 ch.)	ACME Oxygen CM-400Z					380
116			LX4										
117			LX4										
118			LX4										
119			LX4										
120			LX4										
121			LX5										
122			LX5										
123			LX5										
124	HOT	CB42	LX5	512	7	67	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		511	7	61	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		510	7	55	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		509	7	49	6 ch.	RGBWA Led Cyc	Cyc wash				350
125			LX5										
126			LX5										
127	HOT	CB42	LX5	508	7	43	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		507	7	37	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		506	7	31	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		505	7	25	6 ch.	RGBWA Led Cyc	Cyc wash				350
128	HOT	CB42	LX5	504	7	19	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		503	7	13	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		502	7	7	6 ch.	RGBWA Led Cyc	Cyc wash				350
	HOT	CB42		501	7	1	6 ch.	RGBWA Led Cyc	Cyc wash				350

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE	
145	1	2	PS FOH Perch	22	1	2		ETC Source Four 26°	Cool Facelight	L201	R132	Top hat	750	
146	1	4	PS FOH Perch	24	1	4		ETC Source Four 26°	Warm Facelight		R132	Top hat	750	
147	1	6	PS FOH Perch	26	1	6		ETC Source Four 26°	Pink Facelight	L108	R132	Top hat	750	
148	2	26	PS FOH Perch	91	1	26		ETC Source Four 36°	Curtain Warmer	L106			750	
149	1	1	OP FOH Perch	21	1	1		ETC Source Four 26°	Cool Facelight	L201	R132	Top hat	750	
150	1	3	OP FOH Perch	23	1	3		ETC Source Four 26°	Warm Facelight		R132	Top hat	750	
151	1	5	OP FOH Perch	25	1	5		ETC Source Four 26°	Pink Facelight	L108	R132	Top hat	750	
152	2	26	OP FOH Perch	91	1	26		ETC Source Four 36°	Curtain Warmer	L106			750	
181			OP Gantry											
182			OP Gantry											
183			OP Gantry											
184			OP Gantry											
185			OP Gantry											
186			OP Gantry											
187			OP Gantry											
188			OP Gantry											
189			OP Gantry											
190	HOT	CB40	OP Gantry	Universe 6 Split				DMX Splitter 4-way	LX4, 3x Spare					50
	HOT	CB40		701	7	73	RGB 8-bit	RGB Starcloth						300
				702	7	76	RGB 8-bit	RGB Starcloth						
				703	7	79	RGB 8-bit	RGB Starcloth						
				704	7	82	RGB 8-bit	RGB Starcloth						
				705	7	85	RGB 8-bit	RGB Starcloth						
				706	7	88	RGB 8-bit	RGB Starcloth						
				707	7	91	RGB 8-bit	RGB Starcloth						
708	7	94	RGB 8-bit	RGB Starcloth										
191	HOT	CB40	OP Gantry	Universe 7 Split				DMX Splitter 4-way	LX5, Starcloth, Haze, 1x Spare				50	
192			OP Gantry											

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
193	1	19	PS Floor Trap	52	1	19		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	1	19						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
194			PS Floor Trap										
195	HOT	CB38	PS Floor Trap	152	1	110	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
196	2	21	PS Floor Trap	54	1	21		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	2	21						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
197			PS Floor Trap		1								
198	HOT	CB38	PS Floor Trap	154	1	130	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
199	2	23	PS Floor Trap	56	1	23		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	2	23						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
200			PS Floor Trap										
201	HOT	CB38	PS Floor Trap	156	1	150	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
202	2	25	PS Floor Trap	58	1	25		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	2	25						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
203			PS Floor Trap										
204	HOT	CB38	PS Floor Trap	158	1	170	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
205	1	18	OP Floor Trap	51	1	18		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	1	18						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
206			OP Floor Trap										
207	HOT	CB38	OP Floor Trap	151	1	100	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
208	1	20	OP Floor Trap	53	1	20		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	1	20						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
209			OP Floor Trap		1								
210	HOT	CB38	OP Floor Trap	153	1	120	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
211	2	22	OP Floor Trap	55	1	22		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	2	22						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
212			OP Floor Trap										
213	HOT	CB38	OP Floor Trap	155	1	140	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180
214	2	24	OP Floor Trap	57	1	24		Selecon Acclaim Axial 24-44°	Mid shot side	R132		Gel frame	600
	2	24						Selecon Acclaim Axial 24-44°	Shin side	R132		Gel frame	600
215			OP Floor Trap										
216	HOT	CB38	OP Floor Trap	157	1	160	10 ch.	ShowPro LED Par Quad-18	Head high colour wash				180

**2024
STANDARD LIGHTING PATCH**

PATCH	DIMMER	CIRCUIT	LOCATION	CHAN.	UNIV.	ADD.	DMX MODE	FIXTURE	FOCUS NOTES	COLOUR	COLOUR 2	ACCESSORIES	WATTAGE
217			US Floor Trap										
218			US Floor Trap										
219			US Floor Trap										
220			US Floor Trap										
221			US Floor Trap										
222			US Floor Trap										
223			US Floor Trap										
224	Distro A	12	US Floor Trap	901	7	510	3 ch.	MDG ATMe	Haze			Fan	800
PRPS1	1	8	PS Pro Boom	32	1	8		Selecon SPX Zoomspot 15-35°	Cool breakup/fill	L201		Gobo holder	600
PRPS2	1	11	PS Pro Boom	34	1	11		Selecon SPX Zoomspot 15-35°	Warm breakup/fill			Gobo holder	600
PRPS3			PS Pro Boom										
PRPS4			PS Pro Boom										
PRPS5			PS Pro Boom										
PRPS6			PS Pro Boom										
PROP1	1	7	OP Pro Boom	31	1	7		Selecon SPX Zoomspot 15-35°	Cool breakup/fill	L201		Gobo holder	600
PROP2	1	9	OP Pro Boom	33	1	9		Selecon SPX Zoomspot 15-35°	Warm breakup/fill			Gobo holder	600
PROP3			OP Pro Boom										
PROP4			OP Pro Boom										
PROP5			OP Pro Boom										
PROP6			OP Pro Boom										
PSA1			PS Apron										
PSA2			PS Apron										
PSA3			PS Apron										
PSA4			PS Apron										
PSA5			PS Apron										
PSA6			PS Apron										
OPA1			OP Apron										
OPA2			OP Apron										
OPA3			OP Apron										
OPA4			OP Apron										
OPA5			OP Apron										
OPA6			OP Apron										